




Commercial Fitness
Equipment Complete Solution Expert



Shandong Relax Health Industry Co.,Ltd
Website: www.relaxfitness.com
Telephone: 0532-82525088
Address: No. 6, Tianshan 2 Road, Jimo, Qingdao

Time flies away cloud and dragon rise.
Nearly 30 years accumulation
Rising along with time finally got Nebula



"Star Ring"
atmosphere light belt
A new family design language
create colorful fitness space

RELAX
NEBULA SERIES





Million times grade
Strong mechanical quality
Match high-end brand product strength

 **RELAX**
NEBULA SERIES

PK 60/60TE

Treadmill



 Technical parameters	PK 60	PK 60TE
Product size	2200mm*850mm*1510mm	
Net/Gross weight	170kg/220kg	
The maximum bearing		150kg
Motor power	Continuous: 2.2KW/3.0HP ; Peak: 3.3KW/4.5HP	
Speed range	0.8~18KM/H	
Slope range	0~16%	
Running area	1550mm*550mm	
Running board/ Running belt	18mm thickness running board ; 2.2mm wear-resisting	
Roller diameter	Φ75mm	
Handrail	PU foaming side armrest, self-skin thickness more than 2mm	
Standard function	Auto sleep/Bluetooth music playback/Hand holding heart rate /USB charging Unmanned/automatic shutdown/Fault self-detection system	Wifi/Wireless charging/Hand holding heart rate /USB multimedia player/Unmanned automatic shutdown/Fault self-detection system
Optional features	Emergency stop cable/wireless heart rate	Emergency stop cable/wireless heart rate
Screen	Windows WHITE LED digital display	23.8" HD touch screen
Display content	Speed/Slope/time/Distance/Heat/Heart rate/Steps	Calorie mode interface/Real scene simulation interface/Language switching interface/Entertainment interface and other nine interface free switching
Direct key	Speed: 3/6/9/12 ; Slope: 3/6/9/12, Speed shortcut keys continuously adjustable range 2KM/H, safe and reliable	

PP 790/790M/790MT

Elliptical Machine



 Technical parameters	PP 790	PP 790M	PP 790MT
Product size		2210mm*730mm*1660mm	
Net/Gross weight	146kg/200kg	167kg/215kg	
The maximum bearing		180kg	
Resistance system	1-40 grade, Electromagnetic resistance control system	1-20 grade, Electromagnetic resistance control system	
Slope range	—	0-20 grade (15-35°)	
Flywheel weight		15kg	
Stride length		590mm	
Orbital adjustment	—		Stainless steel four rail
Power supply mode	Spontaneous electricity	220V±15% (50/60Hz)	
Reluctance protection function	When the system automatically detects no load, 180S will automatically enter the standby state to protect the reluctance motor		
Standard function	Bluetooth music playback/Hand holding heart rate / USB charging/Feature light belt/ Unmanned automatic shutdown/Fault self-detection system	Bluetooth music playback/Hand holding heart rate / USB charging/Feature light belt/ Wireless charging Unmanned automatic shutdown/Fault self-detection system	Wifi/ Wireless charging/hand holding heart rate /USB multimedia player/ Unmanned automatic shutdown/Fault self-detection system
Optional feature	Wireless heart rate		
Screen	8 Windows WHITE LED digital display	15.6" HD touch screen	
Display content	Resistance/Speed/Slope/Time/Distance/Heat/ Heart rate/Steps/Step frequency/Power/MET	5 sports mode interface/Leaderboard interface/ Entertainment interface/Start interface/ Application interface/ Settings interface can be switched freely	

PP 580/580T

Climbing Machine



PP 580/580T		PP 580	PP 580T
	Technical parameters		
Product size		910mm*1320mm*1800mm	
Net/Gross weight		108kg/128kg	
The maximum bearing		180kg	
Resistance system	1-40 grade, Electromagnetic resistance control system		
Synchro wheel weight	15kg		
Stride length	280mm		
Power supply mode	Self-generating electricity	220V±15% (50/60Hz)	
Reluctance protection function	When the system automatically detects no load, 180S will automatically enter the standby state to protect the reluctance motor		
Standard function	Hand hold heart rate/USB charging/Feature light belt/Fault self-detection system	WIFI/Heart rate in hand/Wireless charging/USB charging/Feature light belt/fault self-detection system	
Optional features	wireless heart rate	Wireless heart rate	
Screen	7 Windows white LED digital display screen	15.6" HD touch screen	
Display content	Resistance/Speed/Time/Distance/Heat/Heart rate/Steps/step frequency/Power /MET	5 sports mode interface/Leaderboard interface/Entertainment interface/Start interface/Application interface/Settings interface can be switched freely	
Handle	Double handle ergonomic handle + quick fingertip control		

PP 290/290T

Upright Cycle



 RELAX Nebula series	PP 290	PP 290T
Technical parameters		
Product size	1200mm*580mm*1550mm	
Net/Gross weight	72kg/92kg	
The maximum bearing	180kg	
Resistance system	Level 1-40, electromagnetic resistance control system	
Flywheel weight	15kg	
Seat adjustment	Seat adjustment with eleven gears	
Power supply mode	Spontaneous electricity	220V±15% (50/60Hz)
Reluctance protection function	When the system automatically detects no load, 180S will automatically enter the standby state to protect the reluctance motor	
Standard function	Hand hold heart rate /USB charging/ Feature light belt/Fault self-detection system	WIFI/ Heart rate in hand/Wireless charging/ USB charging/Feature light belt/Fault self-detection system
Optional features	Bluetooth music playback/ Wireless heart rate	Wireless heart rate
Screen	7 Windows white LED digital display screen	15.6" HD touch screen
Display content	Resistance/Speed/time/Distance/Heat/ Heart rate/Steps/Step frequency/Power/MET	5 sports mode interface/leaderboard interface/Entertainment interface/ Start interface/Application interface/Settings interface can be switched freely
Handle	Ergonomic elbow bracket	

PP 390/390T

Recumbent cycle



Technical parameters	PP 390	PP 390T
Product size	1720mm*750mm*1430mm	
Net/Gross weight	72kg/92kg	
The maximum bearing	180kg	
Resistance system	Level 1-40, electromagnetic resistance control system	
Flywheel weight	15kg	
Seat adjustment	Has 18 seat adjustment	
Power supply mode	Self-generating electricity	220V±15% (50/60Hz)
Reluctance protection function	When the system automatically detects no load, 180S will automatically enter the standby state to protect the reluctance motor	
Standard function	Hand hold heart rate/USB charging/Feature light belt/Fault self-detection system	WIFI/ heart rate in hand/Wireless charging/USB charging/feature light belt/fault self-detection system
Optional features	Bluetooth music playback/Wireless heart rate	Wireless heart rate
Screen	7 Windows white LED digital display screen	15.6" HD touch screen
Display content	Resistance/Speed/Time/Distance/Heat/Heart rate/Steps/Step frequency/Power/MET	5 sports mode interface/leaderboard interface/Entertainment interface/Start interface/Application interface/Settings interface can be switched freely
Backrest	Ergonomic backrest to protect waist and reduce damage;the cut-out design keeps the back fresh at all times	



PQ 980	
 Technical parameters	
Product size	1200mm*580mm*1550mm
Net/Gross weight	68kg/88kg
The maximum bearing	150kg
Resistance system	Magnetic control resistance
Resistance adjustment mode	Stepless variable speed
Flywheel	Aluminum circle flywheel ; 17KG
Shell	All-inclusive shell makes the movement safer and the appearance more impactful
Driving mode	Mute wear-resistant belt
Seat front and rear locking mode	Handle dial lock, only need to dial 90° can realize fast lock, convenient, free from space limitation.
Seat up and down adjustment mode	Has nine seat height adjustment
Optional function	Electronic watch, can display the content: Calorie/Time/Speed/Number of laps
Handle	Multi - position ergonomic handle with 11 - position height adjustment